



COMFORT BY DESIGN

AIR CONDITIONERS



BLIZZARD NXT

The Dometic Blizzard NXT air conditioner can be installed in height-restrictive spaces, making it ideal for flybridge, cockpit, engine room, or exterior deck installations. The air conditioner stands just 8 in/203 mm high. The dual blowers can be ducted to different areas or to confined areas such as flybridge dashboards and consoles. The unit features an oversized four-row evaporator coil for excellent heat removal under low fan-speed conditions. A highly efficient blower reduces power consumption, and the blower flows to two outlets.

- Attractive aerodynamic design
- Rugged and durable
- High-impact polypropylene injection-molded shroud and base pan

Cool Only

BLIZZARD NXT AIR CONDITIONERS

ORDER NUMBER

| | |
|---------|--|
| H540315 | 13,500 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit) |
| H540316 | 15,000 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit) |
| H541815 | 13,500 BTU Upper Unit Non-Ducted or Ducted Application. Comfort Control Center II Thermostat required. |
| H541915 | 13,500 BTU Upper Unit Non-Ducted or Ducted Application. CT Single Zone Thermostat required. |
| H541816 | 15,000 BTU Upper Unit Non-Ducted or Ducted Application. Comfort Control Center II Thermostat required. |
| H541916 | 15,000 BTU Upper Unit Non-Ducted. CT Single Zone Thermostat required. |

Heat and Cool

BLIZZARD NXT HEAT PUMPS

ORDER NUMBER

| | |
|---------|--|
| H551816 | 15,000 BTU HP Heat Pump Non-Ducted or Ducted Application. Comfort Control Center II Thermostat required. |
| H551916 | 15,000 BTU HP Heat Pump Non-Ducted or Ducted Application. CT Single Zone Thermostat required. |

CONTROL COMPONENTS

ORDER NUMBER

| | |
|-------------|--|
| 3314851.000 | ADB - Manual Controls/No Heat Strip Option - Polar White |
| 3312020.000 | Comfort Control Center II Multi-Zone Kit |
| 3314082.011 | Comfort Control Center II - White |
| 3314082.000 | Comfort Control Center II - Black |
| 3316230.000 | CT Single Zone/ T-Stat Cool/Furnace - White |
| 3316230.014 | CT Single Zone/ T-Stat Cool/Furnace - Black |
| 3316232.000 | CT Single Zone/ T-Stat Cool/Furnace/Heat Strip - White |
| 3316232.010 | CT Single Zone/ T-Stat Cool/Furnace/Heat Strip - Black |

RETURN AIR GRILLES FOR DUCTED SYSTEMS

ORDER NUMBER

| | |
|-------------|--|
| 3315930.010 | Quick Cool Ducted Return Air Package - Polar White |
|-------------|--|



Quick Cool Return Air Package



Air Distribution Box (ADB)



CT Single Zone Thermostat



Comfort Control Center II



PENGUIN II LOW PROFILE HEAT PUMPS

The Dometic Penguin II Heat Pump provides year-round heating and cooling of recreation vehicles and campers. With a low profile under 10 in/25.4 cm, the sleek shroud reduces wind resistance while the vehicle is underway. By using advanced composite materials and advanced design, Penguin II delivers better comfort more efficiently than many other similar models. For non-ducted applications, a Dometic Air Distribution Box is required (available separately).

- Low profile – under 10 in/25.4 cm high
- Sleek, contemporary shroud design
- Eco-friendly refrigerant heats more efficiently

PENGUIN II HEAT PUMPS (Available in Polar White or Black)

ORDER NUMBER

| | |
|---------|---|
| 650015C | 13,500 BTU Penguin II Low Profile Heat Pump - Non-ducted application only – ADB required. |
| 651815C | 13,500 BTU Penguin II Low Profile Heat Pump - Non-ducted or ducted application – CCCII Thermostat required. |
| 651816C | High Capacity BTU Penguin II Low Profile Heat Pump - Non-ducted or ducted application – CCCII Thermostat required. |
| 651916C | High Capacity BTU Penguin II Low Profile Heat Pump - Non-ducted or ducted application – CT Single Zone Thermostat required. |



Quick Cool Return Air Package

ACCESSORIES FOR 650015C

ORDER NUMBER

| | |
|-------------|---|
| 3314853.000 | Manual ADB - 650015C Penguin II Heat Pump |
|-------------|---|

ACCESSORIES FOR 651815 & 651816

ORDER NUMBER

| | |
|-------------|---|
| 3100895.006 | Qty 4 - 6 in. Bolts |
| 3101538.001 | Qty 6 - 9 in. Bolts |
| 3314082.011 | CCCII Thermostat - Polar White |
| 3314082.000 | CCCII Thermostat - Black |
| 3314850.000 | Universal ADB - Polar White - Wall Mount Thermostat |
| 3315930.010 | Quick Cool Ducted Return Air Package - Polar White |



Air Distribution Box (ADB)

ACCESSORIES FOR 651916

ORDER NUMBER

| | |
|-------------|---|
| 3100895.006 | Qty 4 - 6 in. Bolts |
| 3101538.001 | Qty 6 - 9 in. Bolts |
| 3316250.000 | CT Single Zone Thermostat - Polar White |
| 3316250.012 | CT Single Zone Thermostat - Black |
| 3314850.000 | Universal ADB - Polar White - Wall Mount Thermostat |
| 3315930.010 | Quick Cool Ducted Return Air Package - Polar White |



CT Single Zone Thermostat

Notes:

Upper unit model and serial numbers located on bottom of base pan near return air opening.
Model and serial numbers on controls located on top of control box.



Comfort Control Center II



PENGUIN II LOW PROFILE AIR CONDITIONERS

The Dometic Penguin II Rooftop Air Conditioner features a futuristic look with powerful cooling performance. With a low profile under 10 in/25.4 cm, the sleek shroud reduces wind resistance while the vehicle is underway. A rib-reinforced base pan delivers lasting strength. The Penguin II is perfect for non-ducted cooling systems. Non-ducted application requires Air Distribution Box (ADB) (available separately).

- Low profile – under 10 in/25.4 cm high
- Sleek, contemporary shroud design reduces drag for improved mileage
- Perfect for ducted or non-ducted cooling systems

PENGUIN II LOW PROFILE AIR CONDITIONERS (Available in Polar White or Black)

ORDER NUMBER

| | |
|---------|--|
| 640310C | High Efficiency Penguin II Low Profile Air Conditioner ADB or ducted application. |
| 640315C | 13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted. ADB required. |
| 641915C | 13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or Ducted. CT Single Zone Thermostat required. |
| 641935C | 13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or ducted. CT Single Zone Thermostat required with heat strip. |
| 641835C | 13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Multi-Zone CCC II required. Preinstalled heat strip. |
| 641815C | 13,500 BTU Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Multi-Zone CCC II required. |
| 641816C | High Capacity Penguin II Low Profile Air Conditioner Non-ducted or Ducted. Multi-Zone CCC II required. |
| 641916C | High Capacity Penguin II Low Profile Air Conditioner Non-ducted or ducted. CT Single Zone Thermostat required. |

CEILING ADB ASSEMBLIES

ORDER NUMBER

| | |
|-------------|---|
| 3314851.000 | ADB Manual Controls - Polar White for 640310/640315 |
| 3314850.000 | ADB Wall Thermostat - Polar White |

CONTROL COMPONENTS

ORDER NUMBER

| | |
|-------------|--|
| 3314082.011 | CCCII Thermostat - Polar White |
| 3314082.000 | CCCII Thermostat - Black |
| 3312020.000 | Multi Zone CCCII Thermostat |
| 3316230.000 | CT Single Zone/ T-Stat Cool/Furnace - White |
| 3316230.014 | CT Single Zone/T-Stat Cool/Furnace - Black |
| 3316232.000 | CT Single Zone/ T-Stat Cool/Furnace/Heat Strip - White |
| 3316232.010 | CT Single Zone/T-Stat Cool/Furnace/Heat Strip - Black |

RETURN AIR GRILLES FOR DUCTED SYSTEM

ORDER NUMBER

| | |
|-------------|--|
| 3315930.010 | Quick Cool Ducted Return Air Package - Polar White |
|-------------|--|

OTHER PENGUIN II ACCESSORIES

ORDER NUMBER

| | | | |
|-------------|---------------------|-------------|-----------------------|
| 3100895.006 | Qty 4 - 6 in. Bolts | 3105584.001 | 18 in. Extension Cord |
| 3101538.001 | Qty 6 - 9 in. Bolts | 3106486.008 | Remote Sensor 20' |
| 3107688.016 | Drain Kit | 3311883.000 | Hard Start Kit |

ORDER NUMBER



Quick Cool Return Air Package



Air Distribution Box (ADB)



CT Single Zone Thermostat



Comfort Control Center II



BRISK II HEAT PUMPS

The Dometic Brisk II Heat Pump provides year-round heating and cooling of recreation vehicles and campers. Stronger, lighter, smaller and more environmentally friendly than the previous version, the Brisk II rooftop unit features tighter specification tolerances to maximize air flow and performance. By using advanced composite materials, Brisk II delivers better comfort more efficiently than many other similar models. For ducted applications, a Multi-Zone Comfort Control Center II thermostat is required.

- High-performance design
- EPP foam housing
- Fits standard 14 in/35.5 cm roof vents

BRISK II HEAT PUMPS

ORDER NUMBER

| | |
|--------|---|
| B59146 | 15,000 BTU Brisk II Heat Pump – Non-ducted application only – ADB required. |
| B59196 | 15,000 BTU Brisk II Heat Pump – Non-ducted or ducted application. – CT Single Zone thermostat required. |
| B59186 | 15,000 BTU Brisk II Heat Pump – Non-ducted or ducted application. Multi-Zone CCCII thermostat required. |

ACCESSORIES FOR B59146

ORDER NUMBER

| | |
|-------------|--|
| 3314852.000 | Manual ADB for B59146 Brisk II Heat Pump - Polar White |
|-------------|--|

ACCESSORIES FOR B59186

ORDER NUMBER

| | |
|-------------|--|
| 3312020.000 | CCCII Multi Zone Kit |
| 3314082.011 | CCCII Thermostat - Polar White |
| 3314082.000 | CCCII Thermostat - Black |
| 3314850.000 | Universal ADB - Wall Mount Thermostat |
| 3315930.010 | Quick Cool Ducted Return Air Package - Polar White |

ACCESSORIES FOR B59196

ORDER NUMBER

| | |
|-------------|--|
| 3316234.000 | CT Single Zone Thermostat - Cool/Furnace/Heat Pump - Polar White |
| 3316234.016 | CT Single Zone Thermostat - Cool/Furnace/Heat Pump - Back |
| 3314850.000 | Universal ADB - Wall Mount Thermostat |
| 3315930.010 | Quick Cool Ducted Return Air Package - Polar White |

OTHER BRISK ACCESSORIES

ORDER NUMBER

| | |
|-------------|-----------------------------------|
| 3315333.003 | Universal ADB - Return Air Filter |
| 3100895.006 | Qty 4 - 6" Bolts |
| 3101538.001 | Qty 6 - 9" Bolts |
| 3105584.001 | 18" Extension Cord |
| 3100281P009 | Air Filter |
| 3310718.006 | Gasket |
| 3310727.015 | Hard Start Kit |



Quick Cool Return Air Package



Air Distribution Box (ADB)



CT Single Zone Thermostat



Comfort Control Center II



BRISK AIR II COOL ONLY

The Dometic Brisk II Rooftop Air Conditioner is the next generation of one of the most popular and imitated RV air conditioners. Stronger, lighter, smaller and more environmentally friendly than the previous version, the Brisk II features tighter specification tolerances and improved materials to maximize air flow and performance. Non-ducted application requires a ceiling-mounted air distribution box (ADB). Ducted installations are controlled with the CT Single Zone thermostat. (ADB and LCD thermostat are available separately).

- High-performance design
- EPP foam housing
- Custom-composite laminated shroud

BRISK AIR II MODELS

ORDER NUMBER

| | |
|--------|---|
| B59530 | High Efficiency Brisk Air Non-Ducted or Ducted Application. ADB or T-Stat required. |
| B57915 | 13,500 BTU Brisk Air Non-Ducted or Ducted Application. ADB or T-Stat required. |
| B59516 | 15,000 BTU Brisk Air Non-Ducted or Ducted Application. ADB or T-Stat required. |

CEILING ADB ASSEMBLIES FOR B57915/B59516

ORDER NUMBER

| | |
|-------------|---|
| 3314851.000 | ADB Kit with Manual Controls - Polar White |
| 3314850.000 | ADB requires Comfort Control Center II or CT Single Zone Thermostat |

CEILING ADB ASSEMBLIES FOR B59530

ORDER NUMBER

| | |
|-------------|--|
| 3314854.000 | ADB Kit with Manual Controls - Polar White |
| 3314850.000 | ADB - Requires Comfort Control Center II - Polar White |

CONTROL COMPONENTS

ORDER NUMBER

| | |
|-------------|--|
| 3312020.000 | Comfort Control Center II Multi-Zone Kit |
| 3314082.011 | Comfort Control Center II - Polar White |
| 3314082.000 | Comfort Control Center II - Black |
| 3316230.000 | CT Single Zone/ T-Stat Cool/Furnace - White |
| 3316230.014 | CT Single Zone/ T-Stat Cool/Furnace - Black |
| 3316232.000 | CT Single Zone/ T-Stat Cool/Furnace/Heat Strip - White |
| 3316232.010 | CT Single Zone/ T-Stat Cool/Furnace/Heat Strip - Black |
| 3314998.000 | Non-ducted Heat Strip |
| 3315450.000 | Ducted Heat Strip |

ACCESSORIES

ORDER NUMBER

| | |
|-------------|------------------------|
| 3106486.008 | Remote Sensor - 20 ft. |
| 3313107.064 | Sensor Cap - White |
| 3313107.066 | Sensor Cap - Black |

OTHER BRISK ACCESSORIES

ORDER NUMBER

| | |
|-------------|-----------------------------------|
| 3315333.003 | Universal ADB - Return Air Filter |
| 3100895.006 | Qty 4 - 6" Bolts |
| 3101538.001 | Qty 6 - 9" Bolts |
| 3105584.001 | 18" Extension Cord |
| 3100281P009 | Air Filter |
| 3310718.006 | Gasket |
| 3310727.015 | Hard Start Kit |



Quick Cool Return Air Package



Air Distribution Box (ADB)



CT Single Zone Thermostat



Comfort Control Center II



COMMERCIAL GRADE AIR CONDITIONERS

Dometic Commercial Grade rooftop air conditioners are performance-tested to overcome harsh and unusual road and weather conditions. Many standard units break down after just four hours of extreme vibration testing, while the Dometic Commercial Grade is still going strong at 30 hours and more.

- Rugged and strong, yet lightweight
- Galvanized steel top plate for lasting strength
- Motor, compressor and evaporator are bracketed together for vibration-free operation
- Dual rubber bushings at top and bottom control noise and vibration
- Powder-coated base pan is 15 % thicker than other models
- Long copper lines are designed for minimal vibration
- Eco-friendly 410A refrigerant

Cool Only

ORDER NUMBER

| | |
|--------|-----------------------------|
| 477915 | 13,500 BTU - White or Black |
| 479516 | 15,000 BTU - White or Black |

CEILING ADB ASSEMBLIES

ORDER NUMBER

| | |
|-------------|---|
| 3314851.000 | ADB Kit with Manual Control - Polar White |
|-------------|---|



COOL CAT HEAT PUMP

The Dometic Cool Cat provides heating and cooling in small spaces. The compact size allows it to be installed in a variety of places without taking up a lot of space.

- 10,500 BTU cooling capacity
- Efficient heating to 30°F ambient temperature controlled by an LCD soft touch thermostat
- Under bunk/counter installation maximizes interior space options
- Lightweight, robust construction with simple installation
- Easy access, washable micro-weave air filter
- Slinger fan system increases the condenser efficiency

ORDER NUMBER

| | |
|--------|---|
| 441003 | 10,150 BTU Heat Pump Non-ducted Application -CT Single Zone Thermostat required |
|--------|---|

ACCESSORIES

ORDER NUMBER

| | |
|-------------|--|
| 3314087.069 | Installation Kit, Thermostat included |
| 3316250.000 | CT Single Zone Thermostat -Polar White |
| 3316250.012 | CT Single Zone Thermostat - Black |

ORDER NUMBER

| | |
|-------------|-------------------|
| 3313107.126 | Grill Filter Kit |
| 3313107.092 | Vented Grill Kit |
| 3311170.000 | Outside Grill Kit |



CT Single Zone Thermostat



REPLACEMENT UPPER UNIT SHROUDS

FOR STANDARD AND HIGH EFFICIENCY A/C'S PREVIOUS MODELS: BRISK & PENGUIN REPLACEMENT SHROUDS

ORDER NUMBER

| | |
|-------------|---|
| 3309364.002 | For Brisk model 7,100 BTU - Polar White |
| 3309518.003 | For Brisk models - Polar White With Gray Band |
| 3309364.002 | For Brisk models - Polar White |
| 3309364.010 | For Brisk models - Black |
| 3308046.014 | For Penguin models - Polar White |
| 3308046.030 | For Penguin models - Black |

BRISK II & PENGUIN II REPLACEMENT SHROUDS

| | |
|-------------|--------------------------|
| 3315332.000 | Brisk II - Polar White |
| 3315332.001 | Brisk II - Black |
| 3314471.001 | Penguin II - Polar White |
| 3314471.003 | Penguin II - Black |


HP REPLACEMENT SHROUDS

| | |
|-------------|-------------|
| 3310710.003 | Polar White |
| 3311996.007 | Black |

BLIZZARD NXT REPLACEMENT SHROUDS

| | |
|-------------|-------------|
| 3316311.000 | Polar White |
| 3316311.012 | Black |

*If unsure which shroud replacement fits your current AC model, contact our FDD specialists




AIR CONDITIONER CONVERSION KITS

- Easily convert air conditioning units from Carrier and Coleman to Brisk Air or Penguin II*

ORDER NUMBER

| | |
|-------------|---------------------------------|
| 3314534.000 | Carrier to Brisk Air / Brisk II |
| 3314534.011 | Carrier to Penguin II |
| 3314537.000 | Coleman to Brisk Air / Brisk II |
| 3314537.014 | Coleman to Penguin II |

*Not for use with heat pump models.



BREATHE EASY™ AIR PURIFIER

- Deodorize and clean air in your RV
- Reduce pollen, mold spores, viruses, bacteria, VOCs and odors
- Portable
- Lightweight
- AC/DC
- Purifies 800 cubic feet of air
- 6.25" x 4.5" x 1.75"

ORDER NUMBER

| | |
|---------|------------------------------------|
| 4210805 | Portable, Breathe Easy Single Pack |
| 4210804 | Replacement Bulb |

COMMON PARTS

The following is a list of the most frequently ordered air conditioner parts. Your FDD specialist can assist you to determine the optimum quantities you may want to stock.

ORDER NUMBER

| | |
|-------------|---|
| 3310718.006 | 14" x 14" Mounting Gasket |
| 3313107.000 | Thermostat - Manual ADB |
| 3107206.017 | |
| 3104928.019 | Return Grill - Ducted Quick Cool - Polar White |
| 3310727.007 | Motor Starter Kit - Brisk Air Only |
| 3313107.034 | Return Grill - Non-ducted ADB |
| 3107206.017 | - Polar White |
| 3313107.015 | Fan Blade - Brisk Air Only |
| 3108015.003 | Return Air Filter - Universal for Old Style ADB |
| 3315333.002 | Return Grill - Universal ADB - Polar White |
| 3315333.003 | Return Air Filter - Universal ADB |
| 3312161.015 | Thermostat - Universal Manual ADB -3314851.000 |
| 3310709.005 | Fan Blade - Brisk II Air Only |
| 3109492.003 | Ducted Ceiling Vent |



AIR COMMAND DUCTED SYSTEM

Ducted systems include wall mount thermostat and remote control. Fits most standard 14'x14' roof cutouts making Air Command an easy upgrade. Features an option to focus an arctic blast of air from the ceiling assembly after a long day in the sun. 2 year warranty.

ORDER NUMBER

| | |
|-------|--|
| 15027 | AC Ducted Roof Unit, 16K BTU Equivalent, White |
| 15032 | AC Ducted Roof Unit, 16K BTU Equivalent, Black |
| 15028 | AC Ducted Roof Unit, 18K BTU Equivalent, with Heat Pump, White |
| 15033 | AC Ducted Roof Unit, 18K BTU Equivalent, with Heat Pump, Black |
| 15022 | Ducted Indoor Plenum with Remote, White* |

* Must have Plenum for initial installation

AIR COMMAND NON-DUCTED SYSTEM

Separate condenser fan and blower fan motors provide an ultra quiet experience and lower amp draw. Non-ducted systems include flip down thermostat and remote control. Fits most standard 14'x14' roof cutouts making Air Command an easy upgrade. 2 year warranty.

ORDER NUMBER

| | |
|-------|--|
| 15025 | AC Non-Ducted Roof Unit, 16K BTU Equivalent, White |
| 15030 | AC Non-Ducted Roof Unit, 16K BTU Equivalent, Black |
| 15026 | AC Non-Ducted, 18K BTU Equivalent, with Heat Pump, White |
| 15031 | AC Non-Ducted, 18K BTU Equivalent, with Heat Pump, Black |
| 15021 | Non-Ducted Indoor Plenum with Remote, White* |

* Must have Plenum for initial installation

REPLACEMENT PART NUMBERS

ORDER NUMBER

| | |
|-------|---|
| 15024 | Molex Universal A/C Installation Elect Conns (2/pkg.) |
| 15023 | AC Remote Control Non-ducted |
| 15029 | AC Wall Thermostat White |
| 15034 | AC Top Shroud Black |
| 15050 | Top Shroud, White |
| 15051 | Top Shroud, Black |
| 15054 | Condenser Fan Motor |
| 15055 | AC Evaporator Fan Motor |

ORDER NUMBER

| | |
|-------|---|
| 15056 | AC Condenser Fan |
| 15057 | AC Evaporator Fan Blade |
| 15062 | AC Rechi Run Capacitor 13.5/15K |
| 15064 | AC LG Run Capacitor 15K |
| 15066 | Inside Filters (for non-ducted units replacement) |
| 15070 | AC Install Kit Hold Down Clamps |
| 15089 | Adapter Kit (Ducted) |
| 15086 | Bolt Package for Thick Ceilings |

DOMETIC AIR CONDITIONERS

| | MODEL NUMBER | BTU RATING* | ELECTRICAL RATING | COMPRESSOR RATED LOAD AMPS | FAN MOTOR RATED LOAD AMPS | AC CIRCUIT PROTECTION | UPPER UNIT WEIGHT, LBS. | THERMOSTATS** |
|--|--------------|-----------------|-------------------|----------------------------|---------------------------|-----------------------|-------------------------|-------------------|
| ROOFTOP AIR CONDITIONERS | | | | | | | | |
| Penguin II | 640310C | High Efficiency | 120VAC/60Hz/1PH | 10.5 | 3.5 | 20 Amp | 99 | ADB or Thermostat |
| Penguin II | 640315C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.6 | 20 Amp | 99 | ADB or Thermostat |
| Penguin II | 641915C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.5 | 20 Amp | 99 | CT Single Zone |
| Penguin II | 641935C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.5 | 20 Amp | 99 | CT Single Zone |
| Penguin II | 641916C | High Capacity | 120VAC/60Hz/1PH | 12.3 | 3.3 | 20 Amp | 110 | CT Single Zone |
| Penguin II | 641835C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.5 | 20 Amp | 99 | CCC II |
| Penguin II | 641815C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.5 | 20 Amp | 99 | CCC II |
| Penguin II | 641816C | High Capacity | 120VAC/60Hz/1PH | 12.3 | 3.3 | 20 Amp | 110 | CCC II |
| Blizzard NXT | H540315 | 13,500 | 120VAC/60Hz/1PH | 12.7 | 2.8 | 20 Amp | 96 | ADB or Thermostat |
| Blizzard NXT | H540316 | 15,000 | 120VAC/60Hz/1PH | 13.2 | 2.8 | 20 Amp | 99 | ADB or Thermostat |
| Blizzard NXT | H541815 | 13,500 | 120VAC/60Hz/1PH | 12.7 | 2.8 | 20 Amp | 96 | CCC II |
| Blizzard NXT | H541816 | 15,000 | 120VAC/60Hz/1PH | 13.2 | 2.8 | 20 Amp | 99 | CCC II |
| Blizzard NXT | H541915 | 13,500 | 120VAC/60Hz/1PH | 12.7 | 2.8 | 20 Amp | 96 | CT Single Zone |
| Blizzard NXT | H541916 | 15,000 | 120VAC/60Hz/1PH | 13.2 | 2.8 | 20 Amp | 99 | CT Single Zone |
| Brisk Air | B59530 | High Efficiency | 120VAC/60Hz/1PH | 8.6 | 2.5 | 15 Amp | 87 | ADB or Thermostat |
| Brisk Air II | B57915 | 13,500 | 120VAC/60Hz/1PH | 12.4 | 2.5 | 20 Amp | 72 | ADB or Thermostat |
| Brisk Air II | B59516 | 15,000 | 120VAC/60Hz/1PH | 13.3 | 2.0 | 20 | Amp 74 | ADB or Thermostat |
| COMMERCIAL GRADE AIR CONDITIONERS | | | | | | | | |
| Commercial | 477915 | 13,500 | 120VAC/60Hz/1PH | 12.4 | 2.5 | 20 Amp | 91 | ADB |
| Commercial | 479516 | 15,000 | 120VAC/60Hz/1PH | 13.3 | 2.0 | 20 Amp | 103 | ADB |
| HEAT PUMPS | | | | | | | | |
| Penguin II | 650015C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.5 | 20 Amp | 99 | ADB |
| Penguin II | 651815C | 13,500 | 120VAC/60Hz/1PH | 12.5 | 3.5 | 20 Amp | 99 | Multi-Zone CCC II |
| Penguin II | 651816C | High Capacity | 120VAC/60Hz/1PH | 12.3 | 3.3 | 20 Amp | 99 | Multi-Zone CCC II |
| Penguin II | 651916C | High Capacity | 120VAC/60Hz/1PH | 12.3 | 3.3 | 20 Amp | 99 | CT Single Zone |
| Brisk Air II | B59146 | 15,000 | 120VAC/60Hz/1PH | 13.3 | 2.0 | 20 Amp | 100 | ADB |
| Brisk Air II | B59196 | 15,000 | 120VAC/60Hz/1PH | 13.3 | 2.0 | 20 Amp | 100 | CT Single Zone |
| Brisk Air II | B59186 | 15,000 | 120VAC/60Hz/1PH | 13.3 | 2.0 | 20 Amp | 100 | Multi-Zone CCC II |
| Blizzard NXT | H551816 | 15,000 | 120VAC/60Hz/1PH | 13.2 | 2.8 | 20 Amp | 100 | CCC II |
| Blizzard NXT | H551916 | 15,000 | 120VAC/60Hz/1PH | 13.2 | 2.8 | 20 Amp | 100 | CT Single Zone |
| Cool Cat | 441003 | 10,150 | 120VAC/60Hz/1PH | 8.9 | 2.2 | 20 Amp | 70 | CT Single Zone |

* Nominal Capacity

**Thermostats: Additional control kits for thermostats may be required.

Note: Include suffix of Heat Pump or Air Conditioner model number (.xxx) being replaced when ordering a replacement unit.